

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):


- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

USSN 10/033,086
Page 6

STATUS OF THE CLAIMS

- 
1. (Currently amended) A particle for addition to a composition containing peroxygen bleach, the particle comprising [containing] (1) a peroxide-sensitive component and (2) a hydrogen-peroxide:hydrogen-peroxide-reductase at a concentration of about 10 U/g to about 350 U/g of the particle.
 2. (Currently amended) The [granule] particle of claim 1 wherein the peroxide-sensitive component is an enzyme, selected from a protease, an amylase, a cellulase, or a lipase, the particle exhibiting enhanced accelerated storage stability as compared to a similar particle without the addition of the hydrogen-peroxide:hydrogen-peroxide reductase.
 3. (Original) The particle of claim 1 wherein the peroxide-sensitive component is a peptide.
 4. (Original) The particle of claim 1 wherein the peroxide-sensitive component is a protein.
 5. (Original) The particle of claim 1 wherein the peroxide-sensitive component is a dye or pigment.
 6. (Original) The particle of claim 1 wherein the hydrogen-peroxide:hydrogen-peroxide-reductase is mixed together with the peroxide-sensitive component.
 7. (Original) The particle of claim 1 wherein the hydrogen-peroxide:hydrogen-peroxide-reductase is coated over the peroxide-sensitive component.
 8. (Amended) The particle of claim 1 wherein the hydrogen-peroxide:hydrogen-peroxide-reductase is present at a concentration of less than about [5,000] 350 U/g of particle.
 9. (Currently amended) The particle of claim 1 wherein the hydrogen-peroxide:hydrogen-peroxide-reductase is present at a concentration [abov] between about 20 U/g and about 200 U/g of particle.

GC644-3 amendment 7-14-03

USSN 10/033,086

Page 7

10. (Currently amended) The particle of claim 1 wherein the hydrogen-peroxide-reductase is present at a concentration of about 10-[350] 100 U/g of particle.
11. (Original) The particle of claim 1 wherein the hydrogen-peroxide:hydrogen-peroxide-reductase is present at a concentration of about 10-200 U/ gram of particle.
12. (Original) The particle of claim 1 wherein the hydrogen-peroxide:hydrogen-peroxide-reductase is present at a concentration of about 15-150 U/g gram of particle.
13. (Original) The particle of claim 1 wherein the hydrogen-peroxide:hydrogen-peroxide-reductase is present at a concentration of about 20-100 U/ gram of particle.
14. (Original) The particle of claim 1 wherein the hydrogen-peroxide:hydrogen-peroxide-reductase is present at a concentration of about 60-100 U/gram of particle.
15. (Original) The particle of claim 1 wherein the hydrogen-peroxide:hydrogen-peroxide-reductase is a naturally occurring catalase.
16. (Original) The particle of claim 1 wherein the hydrogen-peroxide:hydrogen-peroxide-reductase is an engineered catalase.
17. (Original) The particle of claim 1 wherein the hydrogen-peroxide:hydrogen-peroxide-reductase is a catalase derived from *Aspergillus niger*.
18. (Original) The particle of claim 1 wherein the hydrogen-peroxide:hydrogen-peroxide-reductase is a catalase derived from a *Micrococcus species* of bacteria.
19. (Original) A detergent with peroxygen bleach, such as perborate or percarbonate, including the particle of claim 1.
20. (Currently amended) A method of stabilizing an enzyme in a detergent granule containing peroxygen bleach, the method comprising the step of adding a hydrogen-peroxide:hydrogen-peroxide-reductase at a

Al
cont'g

USSN 10/033,086

Page 8

concentration of about 10 U/g to about 350 U/g of the granule to the enzyme during manufacture of the granule.

21. (Original) The method of claim 20 wherein the hydrogen-peroxide:hydrogen-peroxide-reductase is a catalase that is mixed together with the enzyme.
22. (Original) The method of claim 20 wherein the hydrogen-peroxide:hydrogen-peroxide-reductase is a catalase that is added to surround the enzyme.
23. (Original) The method of claim 20 wherein about 10-200 U of a catalase hydrogen-peroxide:hydrogen-peroxide-reductase is added per gram of the granule.
24. (Original) The method of claim 20 wherein about 15-150 U of a catalase hydrogen-peroxide:hydrogen-peroxide-reductase is added per gram of the granule.
25. (Original) The method of claim 20 wherein about 20-100 U of a catalase hydrogen-peroxide:hydrogen-peroxide-reductase is added per gram of the granule.
26. (Original) The method of claim 20 wherein about 60-100 U of a catalase hydrogen-peroxide:hydrogen-peroxide-reductase is added per gram of the granule.
27. (Currently amended) The method of claim 20 wherein [above] about [20] 40 to about 350 U of a catalase hydrogen-peroxide:hydrogen-peroxide-reductase is added per gram of the granule.
28. (Added) A particle for use in compositions containing peroxygen bleach, the particle comprising:
a core;
a layer surrounding the core, the layer comprising (1) a peroxide-sensitive component and (2) a hydrogen-peroxide:hydrogen-peroxide-reductase at a concentration per particle of 10 U/g to 350 U/g of particle.

USSN 10/033,086

Page 9

29. (Added) The particle of claim 28 wherein the core is selected from clays, nonpareils, agglomerated potato starch, seed crystals, inorganic salts, inorganic sugars, and small organic molecules.
30. (Added) The particle of claim 28 further comprising a barrier material surrounding the layer.
31. (Added) The particle of claim 28 further comprising an outer coating surrounding the layer.
32. (Added) The granule of claim 28 wherein the peroxide-sensitive component is an enzyme, selected from a protease, an amylase, a cellulase, or a lipase.
33. (Added) The particle of claim 32 wherein the peroxide-sensitive component is a dye or pigment.
34. (Added) The particle of claim 31 wherein the hydrogen-peroxide:hydrogen-peroxide-reductase is added to and mixed together with the peroxide-sensitive component.
35. (Added) The particle of claim 31 wherein the hydrogen-peroxide:hydrogen-peroxide-reductase is coated over the peroxide-sensitive component.
36. (Added) The particle of claim 1 wherein the hydrogen-peroxide:hydrogen-peroxide-reductase is present at a concentration of about 20-100 U/g of particle.
37. (Added) The particle of claim 31 wherein the hydrogen-peroxide-reductase is present at a concentration of about 60-100 U/g of particle.
38. (Added) The particle of claim 31 wherein the hydrogen-peroxide:hydrogen-peroxide-reductase is present at a concentration of about 10-200 U/ gram of particle.
39. (Added) The particle of claim 31 wherein the hydrogen-peroxide:hydrogen-peroxide-reductase is present at a concentration of about 15-150 U/g gram of particle.
40. (Added) The particle of claim 31 wherein the hydrogen-peroxide:hydrogen-peroxide-reductase is present at a concentration of about 40-310 U/ gram of particle.

USSN 10/033,086

Page 10

41. The particle of claim 32 exhibiting enhanced accelerated storage stability as compared to a similar particle without the hydrogen-peroxide:hydrogen-peroxide-reductase.

42. The detergent of claim 19 wherein active oxygen percentage is not significantly reduced by the hydrogen-peroxide:hydrogen-peroxide-reductase as measured in a wash performance test.

*all
cont'd*